



HYDRAULIC PUMPS

**BARTON
TOOLS**

Product Parameters

HYDRAULIC PEDAL PUMP CFP-800-1



High pressure	700 BAR	High pressure oil	2.3 cc
Low pressure	20 BAR	Low pressure oil	13 cc
Oil	600 ml	Gross/Net	9.7 kg / 12.26 kg

**BARTON
TOOLS**


www.barton-tools.com



HYDRAULIC PUMPS

**BARTON
TOOLS**

Product Detail



**BARTON
TOOLS**

www.barton-tools.com



HYDRAULIC PUMPS

**BARTON
TOOLS**

Easily respond to a variety of scenarios



Hydraulic pump can be equipped with the following split type hydraulic tools



**BARTON
TOOLS**

www.barton-tools.com



HYDRAULIC PUMPS

**BARTON
TOOLS**

Hydraulic Pump

1

Smooth surface, good sealing and no oil leakage



Air bleed valve/filler port

2

The nut must be unscrewed when using to prevent the oil tank from being sealed



Pedals

3

High-speed and easy pressing, suitable for a variety of working environments



Relief valve

4

Tighten the relief valve clockwise when working
Unscrew the pressure relief valve counterclockwise when releasing the pressure



**BARTON
TOOLS**

www.barton-tools.com