




HYDRAULIC PUMPS

**BARTON
TOOLS**

Product Parameters

Hand Operated Hydraulic Pump CP-700D



High pressure	700Kg/cm ²	High pressure oil	2.3cc
Low pressure	20Kg/cm ²	Low pressure oil	13cc
Oil	1200cc	Gross/Net	11.6Kg/13.2Kg

**BARTON
TOOLS**

www.barton-tools.com



HYDRAULIC PUMPS

**BARTON
TOOLS**

Product Detail



**BARTON
TOOLS**

www.barton-tools.com




HYDRAULIC PUMPS

**BARTON
TOOLS**

Application

Hydraulic pump can be equipped with the following split type hydraulic tools



**BARTON
TOOLS**

www.barton-tools.com



HYDRAULIC PUMPS

**BARTON
TOOLS**

Hydraulic Pump

1

Smooth surface, good sealing and no oil leakage



Air bleed valve/filler port

2

The nut must be unscrewed when using to prevent the oil tank from being sealed



Lagging handle

3

Ergonomically designed PVC rubberized handle for long working hours



Relief valve

4

Tighten the relief valve clockwise when working
Unscrew the pressure relief valve counterclockwise
when releasing the pressure



**BARTON
TOOLS**

www.barton-tools.com