



HYDRAULIC PUMPS

**BARTON
TOOLS**

Product Parameters

Hand-operated Vacuum Pump CP-800



High pressure	20-700Kg/cm ²	High pressure oil	2.26cc
Low pressure	0-20Kg/cm ²	Low pressure oil	12.26cc
Oil	3000cc	Gross/Net	13.2Kg/15.4Kg

**BARTON
TOOLS**



Product Detail





HYDRAULIC PUMPS


**BARTON
TOOLS**

WARM PROMPT

Overseas imported goods have been changed in packaging and accessories, if the update is not timely, please forgive us! Please prevail in kind. Guaranteed products are original authentic overseas.

Application

Hydraulic pump can be equipped with the following split type hydraulic tools



**BARTON
TOOLS**

www.barton-tools.com



HYDRAULIC PUMPS

**BARTON
TOOLS**

Product Detail Presentation

Hydraulic Pump 1

Smooth surface, good sealing and no oil leakage



Air bleed valve/filler port 2

The nut must be unscrewed when using to prevent the oil tank from being sealed



Lagging handle 3

Ergonomically designed PVC rubberized handle for long working hours



Manual Pressure Relief Valve 4

Rotate back and forth to adjust the way of oil return and oil intake



**BARTON
TOOLS**

www.barton-tools.com