



## J40 J40 Al / Cu -Manual Cable Cutter

Cutting range:

• Within 300 mm<sup>2</sup> or  $\Phi$ 42 mm Al / Cu armored cable

**steel core aluminum  
stranded wire or steel strands**

Armored Cable <input checked="" type="checkbox"/>	Cu-Al Cable <input checked="" type="checkbox"/>	Prestressed steel wire <input checked="" type="checkbox"/>	ACSR <input checked="" type="checkbox"/>	Steel wire ropes <input checked="" type="checkbox"/>
---	---	--	--	--

Length	Width	Thickness	Net weight
346mm	120mm	38mm	1.15KG



## J52 J52 Al / Cu -Manual Cable Cutter

Cutting range:

• Within 500 mm<sup>2</sup> or  $\Phi$ 50mm Al / Cu armored cable

**cut steel core aluminum  
stranded wire or steel strands**

Armored Cable <input checked="" type="checkbox"/>	Cu-Al Cable <input checked="" type="checkbox"/>	Prestressed steel wire <input checked="" type="checkbox"/>	ACSR <input checked="" type="checkbox"/>	Steel wire ropes <input checked="" type="checkbox"/>
---	---	--	--	--

Length	Elongation length	Width	Thickness	Net weight
397mm	568mm	165mm	54mm	2.9KG



## J75 J75 Al / Cu -Manual Cable Cutter

Cutting range:

• Within  $\Phi$ 75 mm Al / Cu armored cable or 3x120 sound cable

**steel core aluminum  
stranded wire or steel strands**

Armored Cable <input checked="" type="checkbox"/>	Cu-Al Cable <input checked="" type="checkbox"/>	Prestressed steel wire <input checked="" type="checkbox"/>	ACSR <input checked="" type="checkbox"/>	Steel wire ropes <input checked="" type="checkbox"/>
---	---	--	--	--

Length	Elongation length	Width	Thickness	Net weight
416mm	587mm	200mm	55mm	3.6KG



# CABLE CUTTERS

## J95

### J95 Al / Cu -Manual Cable Cutter

**Cutting range:**

✓ Within High voltage  $3 \times 185 \text{ mm}^2$ , Low voltage  $3 \times 240 \text{ mm}^2$  or  $\Phi 95 \text{ mm}$  Al / Cu armored cable

✗ **steel core aluminum stranded wire or steel strands**



Length	Elongation length	Width	Thickness	Net weight
416mm	587mm	200mm	55mm	4.7KG



## J100

### J100 Al / Cu -Manual Cable Cutter

**Cutting range:**

✓ Within  $3 \times 300 \text{ mm}^2$  or  $\Phi 100 \text{ mm}$  Al / Cu armored cable

✗ **steel core aluminum stranded wire or steel strands**



Length	Elongation length	Width	Thickness	Net weight
482mm	655mm	270mm	59mm	6.25KG



## J130

### J130 Al / Cu -Manual Cable Cutter

**Cutting range:**

✓ Within  $3 \times 415 \text{ mm}^2$  or  $\Phi 130 \text{ mm}$  Al / Cu armored cable

✗ **steel core aluminum stranded wire or steel strands**



Length	Elongation length	Width	Thickness	Net weight
524mm	693mm	328mm	59mm	8.3KG





## J160 J160 Al / Cu - Manual Cable Cutter

Cutting range:

- Within 3X536 mm<sup>2</sup> or  $\Phi$ 160 mm Al / Cu armored cable
- steel core aluminum stranded wire or steel strands**

Armored Cable	Cu-Al Cable	Prestressed steel wire	ACSR	Steel wire ropes
✓	✓	✗	✗	✗

Length	Elongation length	Width	Thickness	Net weight
560mm	735mm	390mm	62mm	11.1KG



## J13 J13 Steel strands Cutter

Cutting range:

- Within 720 mm<sup>2</sup> steel core aluminum stranded wire or 120 mm<sup>2</sup> steel strands
- Al / Cu cables**

Armored Cable	Cu-Al Cable	Prestressed steel wire	ACSR	Steel wire ropes
✗	✗	✓	✓	✗

Length	Elongation length	Width	Thickness	Net weight
345mm	514mm	125mm	46mm	1.95KG



## J25 J25 Steel strands Cutter

Cutting range:

- Within 800mm<sup>2</sup> steel core aluminum stranded wire or 150 mm<sup>2</sup> steel strands
- Al / Cu cables**

Armored Cable	Cu-Al Cable	Prestressed steel wire	ACSR	Steel wire ropes
✗	✗	✓	✓	✗

Length	Elongation length	Width	Thickness	Net weight
380mm	548mm	150mm	46mm	3KG



# CABLE CUTTERS

## J30

### J30 Steel strands Cutter

Cutting range:

✓ • Within 630 mm<sup>2</sup> steel core aluminum stranded wire or 100 mm<sup>2</sup> steel strands

✗ Al / Cu cables



Length	Elongation length	Width	Thickness	Net weight
406mm	560mm	160mm	48mm	3.4KG



## J50

### J50 Steel strands Cutter

Cutting range:

✓ • Within 1440 mm<sup>2</sup> steel core aluminum stranded wire or 150 mm<sup>2</sup> steel strands

✗ Al / Cu cables



Length	Elongation length	Width	Thickness	Net weight
410mm	568mm	200mm	52mm	4KG



## J33

### J33 wire rope cutter

Cutting range:

✓ • Max. Diameter 26mm Steel Wire Ropes

✗ Al / Cu cables  
steel core aluminum  
stranded wire or steel strands



Length	Elongation length	Width	Thickness	Net weight
406mm	560mm	160mm	48mm	3.4KG

